

KING Industries - NA-LUBE®

Product	Chem. Description	Features and Benefits
NA-LUBE ADTC	Methylene-bis-(Dibutyldithiocarbamate)	Ashless multifunctional additive with EP/AW and AO properties. Outstanding demulsibility and good thermal stability. FZG booster. No negative influence on AFNOR filtration.
NA-LUBE AW-6010	Amine Salts of Aliphatic Phosphoric Acid Esters	Metal free antiwear and EP additive with no detrimental FZG performance. Light colour and low treat levels. Excellent solubility properties.
NA-LUBE AW-6110P	Amine Salts of Aliphatic Phosphoric Acid Esters	Multifunctional ashless additive with excellent anticorrosion. Excellent solubility properties, antiwear and EP properties. Light colour, low odor, easy to handle. Lower acid no. than NA-LUBE AW-6110.

Product	Chem. Description	Features and Benefits
NA-LUBE AW-6220	Proprietary Preparation of Amine Phosphate and Heterocyclic Derivative Chemistry	Ashless antiwear additive. Excellent rust, corrosion, and yellow metal deactivation properties. Low treat levels. Excellent solubility properties. Outstanding FZG performance at low treat levels.
NA-LUBE AW-6310	Proprietary Preparation of Sulfur-Phosphorus-Nitrogen containing Chemistry	Multifunctional ashless lubricant additive exhibiting outstanding EP/AW. Rust inhibiting and demulsification properties. Low treat levels and good thermal and hydrolytic stability.
NA-LUBE AW-6330	Proprietary Preparation of Phosphorus-Sulfur containing Chemistry	Multifunctional ashless lubricant additive. Exhibiting excellent EP/AW and AO properties. Used as a substitute for zinc dialkyldithiophosphates.

Product	Chem. Description	Features and Benefits
NA-LUBE AW-6360	Proprietary Preparation of Sulfur-Phosphorus-Nitrogen containing Chemistry	Exhibiting outstanding EP/AW performance. Low treat levels as determined with the FZG gear test rig. Excellent rust protection and demulsification properties. Good thermal and hydrolytic stability.
NA-LUBE AW-6400FG	Amine Salts of Aliphatic Phosphoric Acid Esters	NSF HX-1 approved multifunctional additive. Excellent anticorrosion, AW/EP properties. Light color, low odor. Excellent solubility properties.